

All Prescribers and Outpatient Pharmacy Providers:

This notice contains critically important information regarding compliance with the Medicaid Tamper Resistant Requirements.

- **As of October 1, all fee-for-service Medicaid prescriptions that are either handwritten or printed from an EMR / ePrescribing application must contain at least one feature from each of the three categories of tamper resistance (see below for details). Note – compliance as of April 1, 2008 only required one feature from one category of tamper resistance – so continuing in compliance for October may require additional steps by your prescription pad or software vendor.**
- **Prior guidance for printed prescriptions generated from EMRs or ePrescribing applications stated that special copy resistant paper would likely be required for printed prescriptions to be in compliance as of October 1, 2008. CMS has clarified this statement, and is now stating that while special paper may be used to achieve copy resistance – there may be alternative methods to achieve compliance. EMR or ePrescribing generated prescriptions may be printed on plain paper, and be fully compliant with all three categories of tamper resistance – provided they contain at least one feature from each of the three categories detailed below.**

As of October 1, 2008, all handwritten and/or computer generated (by electronic medical records or ePrescribing applications) printed prescriptions for fee-for-service Medicaid patients, must be fully compliant with federal and/or state guidance for prescription tamper resistance. While the first phase of tamper resistance guidance required prescribers to use at least one feature from one category of tamper resistance, this second phase requires that these handwritten or computer printed Medicaid prescriptions contain at least one industry recognized feature from each of the three categories of tamper resistance. Prescriptions for Medicaid patients that are telephoned, faxed, or ePrescribed are exempt from these tamper resistance requirements.

As the October 1 implementation date approaches, we want to provide you with the information you need to ensure Medicaid patients will be able to receive their needed medications and ensure that the transition to these new prescription requirements is as smooth as possible for recipients, pharmacists, physicians, and other prescribers. We hope this guidance will help you comply with the requirements.

While these requirements are federally mandated, individual states are responsible for issuing guidance which may be more (but not less) prescriptive than the guidance below. As part of that guidance Idaho has chosen to forward to the prescriber community, the National Council for Prescription Drug Programs (NCPDP) guidance below. This guidance has been approved by the Centers for Medicare and Medicaid Services. It is likely that the company who supplies your prescription pads/paper, and/or Electronic Medical Records (EMRs) / ePrescribing software is aware of these additional requirements and will be able to work with you to ensure your Medicaid prescriptions comply with the requirements in your state.

For additional information, you can either check the Medicaid Pharmacy website at http://www.healthandwelfare.idaho.gov/portal/alias_Rainbow/lang_en-US/tabID_3355/DesktopDefault.aspx or the National Association of State Medicaid Directors Web site at www.NASMD.org/issues/TRPP.asp.

Review of CMS Requirements for October 1, 2008

By October 1, 2008, a handwritten or computer generated and printed prescription must contain at least one feature in **all three** categories. No feature may be used twice:

- 1) One or more industry recognized features designed to prevent unauthorized copying of a completed or blank prescription.
- 2) One or more industry recognized features designed to prevent the erasure or modification of information written on the prescription by the prescriber.
- 3) One or more industry recognized features designed to prevent the use of counterfeit prescriptions.

The following best practices are strongly suggested for adoption to meet the tamper-resistant requirements (See Appendix I for examples):

Best Practices for Tamper Resistant Printed Prescriptions

	<u>Feature</u>	<u>Description</u>
<u>Category 1:</u> Copy Resistance	A) Void/Illegal/Copy Pantograph with or without Reverse Rx B) Micro print signature line for prescriptions generated by an EMR if they cannot produce Void/Illegal/Copy Pantograph with or without Reverse Rx	<i>The word "Void," "Illegal," or "Copy" appears when the prescription is photocopied.</i> <i>Very small font which is legible (readable) when viewed at 5x magnification or greater, and illegible when copied.</i>
<u>Category 2:</u> Erasure / Modification Resistance	A) An Erasure revealing background (resists erasures and alterations) for written prescriptions or printed on "toner-lock" paper for laser printed prescriptions, and on plain bond paper for inkjet printed prescriptions B) Quantity check off boxes, refill indicator (circle number of refills or "NR"), or border characteristics (dispense and refill # bordered by asterisks and optionally spelled out) for prescriptions generated by an EMR	<i>Background that consists of a solid color or consistent pattern that has been printed onto the paper. This will inhibit a forger from physically erasing written or printed information on a prescription form.</i> <i>Toner-lock paper is special printer paper that establishes a strong bond between laser-printed text and paper, making erasure obvious. Note – this is NOT necessary for inkjet printers – as the ink from inkjet printers is absorbed into normal "bond" paper.</i> <i>In addition to the written quantity on the prescription, quantities are indicated in ranges.</i> <i>Quantities and refill # are surrounded by special characters such as an asterisks to prevent modification, e.g. QTY **50**.</i>
<u>Category 3:</u> Counterfeit Resistance	A) Security features and descriptions listed on the prescription	<i>A Complete list of the security features on the prescription paper aids pharmacists in identification of features and determine compliance</i>

CMS has determined that states which had tamper-resistant prescription pad programs, with the exception of Idaho, in place prior to the passage of the law are all in compliance with the October 1 deadline. For your reference, a copy of the standards for each of the following states is attached as Appendix II.

California	Maine
Florida	New Jersey
Idaho ¹	New York
Indiana	Texas
Kentucky	Wyoming

Note for prescription pad users

If your current prescription pad vendor cannot meet the needs of the requirements, the following Web sites list vendors that comply with the requirements of states that already mandate tamper-resistant prescription pads for some or all prescriptions. The vendors listed below can meet or exceed all three CMS requirements:

California: http://www.ag.ca.gov/bne/security_printer_list.php

Florida: http://floridamedicaid.consultec-inc.com/XJContent/RX_07_071003_Prescription_Pad_List_ver1.2.xls?id=000005500053

Indiana: <http://www.in.gov/pla/3207.htm>

Maine: <http://www.mainearepdl.org/index.pl/home/tamper-resistant-prescription-pads>

On average it should take 2 to 4 weeks for your new prescriptions pads/paper to arrive once you have placed your order with a prescription pad vendor. If you are using a new prescription pad vendor for the first time, keep in mind that your shipment may take longer since the vendor will need to process your information.

Appendix III summarizes features, including and in addition to the best practices above, that could be used on a tamper-resistant pad/paper in compliance with the CMS guidelines to meet the requirements for October 1. They are categorized according to the three types of tamper-proof features described by CMS.

Suggested Actions

I. Make sure that your prescription pads or printed prescriptions contain at least one industry-recognized feature in each of the three categories listed above. Best practice examples of prescription pads and computer generated prescriptions that meet all three categories are described above and shown below.

II. Contact your prescription pad vendor to secure an appropriate supply of tamper-resistant prescription pads and/or paper that will meet your state's requirements on October 1, 2008; or contact your EMR / ePrescribing vendor to make sure that your use of the application to print prescriptions will be compliant by October 1, 2008.

¹ Because it only requires a feature to prevent copying, Idaho's current program complies only with the first stage of the implementation process.

Impact on Medicaid Patients

In order to ensure that patients do not see any adverse impact regarding their access to medications, it is critical for you to meet **all three** CMS requirements, prior to October 1. In an emergency situation, prescriptions written on non-tamper resistant pads will be permitted as long as the prescriber provides a verbal, faxed, electronic, or compliant written prescription within 72 hours after the date on which the prescription was filled.

Thank you for your efforts to comply with these new federal requirements.

Appendix 1

Best Practices for Tamper Resistant Printed Prescriptions (Handwritten)

Category 1

- A) Photocopied “COPY”, “ILLEGAL”, or “VOID” Pantograph

Category 2

- A) An Erasure revealing background (resists erasures and alterations)
- B) Quantity check off boxes
- C) Refill indicator (circle number of refills or “NR”)

Category 3

- A) Security features and descriptions listed on the prescription

Appendix 1 (continued)

Front

Void or Copy Pantograph: displays "VOID" or "ILLEGAL" on a color copy of an Rx. It will appear on a wide range of copier settings. (Cat. 1)

SPRINGHAVEN MEDICAL PRACTICE
1234 HEALTH CENTER DRIVE
DAYTON, OH 45408
PHONE 1-937-221-1234 • FAX 1-937-434-5678

JOHN R. SMITH, M.D.
Lic: 123456 • DEA: XX1234567
NPI: 2222222222

HELEN C. DOE, M.D.
Lic: 123456 • DEA: XX1234567
NPI: 2222222222

PATIENT'S FULL NAME	SEX	DATE OF BIRTH
ADDRESS		DATE

Rx 00000001

☐ 1-24
☐ 25-49
☐ 50-74
☐ 75-100
☐ 101-150
☐ 151 and over

Preprinted Text Fields: Quantity check boxes, refill indicators, and preprinted limitations or guidelines make the Rx harder to modify. (Cat.2)

REFILLS: 1 2 3 4
No Refills Void After

PREScriBER'S SIGNATURE

DEA #:

VALID FOR CONTROLLED SUBSTANCES

Back

Chemically-Protected Paper: Invisible coating causes "VOID" or a stain to appear on a handwritten Rx when altered by a wide range of chemicals. Toner receptor coating protects laser-printed Rx data from being removed or altered. (Cat. 2) Recommended for use with Preprinted Text Fields

Security Features List: a prominent display of the prescriptions features, sometimes part of a "Warning Band" or box. (CMS 3)

Heat-sensitive Image: An Rx logo or other symbol printed with thermochromic ink, so the image changes color or disappears when it is rubbed briskly or exposed to warm breath. (CMS 1 and 3)

Phantom Void or Copy Pantograph: displays "VOID" or "ILLEGAL" on a color copy of an Rx. It will appear on a wide range of copier settings. (CMS 1)

Chemically-Protected Paper: Coating causes "VOID" or a stain to appear on a handwritten Rx when altered by a wide range of chemicals. Toner receptor coating protects laser-printed Rx data from being removed or altered. (CMS 2)

Preprinted Text Fields: Quantity check boxes, refill indicators, and preprinted limitations or guidelines make the Rx harder to modify. (CMS 2)

Heat-sensitive Image: An Rx, logo, or other symbol printed with Thermochromic ink, so the image changes color or disappears when it is rubbed briskly or exposed to warm breath. (Cat. 1 and 3)

Security Features List: a prominent display of the prescriptions features, sometimes part of a "Warning Band" or box. (Cat. 3)

Example of a Color Copied Prescription

SPRINGHAVEN MEDICAL PRACTICE
1234 HEALTH CENTER DRIVE
DAYTON, OH 45408
PHONE 1-937-221-1234 • FAX 1-937-434-5678

JOHN R. SMITH, M.D.
Lic: 123456 • DEA: XX1234567
NPI: 2222222222

HELEN C. DOE, M.D.
Lic: 123456 • DEA: XX1234567
NPI: 2222222222

PATIENT'S FULL NAME	SEX	DATE OF BIRTH
ADDRESS		DATE

Rx 00000001

☐ 1-24
☐ 25-49
☐ 50-74
☐ 75-100
☐ 101-150
☐ 151 and over

PREScriBER'S SIGNATURE

DEA #:

VALID FOR CONTROLLED SUBSTANCES

Hollow Pantograph: VOID or ILLEGAL is designed to not obscure or block vital information. Often showing strongest intensity at the "top" or the document. These pantographs generally do not "pop" on a black and white fax

Appendix I (continued)

Best Practices for Tamper Resistant Printed Prescriptions (Generated by an EMR)

Category 1

A) Copy Resistance: Microprint signature line*

Category 2

A) Modification / Erasure Resistance: Border characteristics (dispense and refill # bordered by asterisks AND spelled out)

B) Modification / Erasure Resistance: Printed on “toner-lock” paper for laser printed prescriptions, and on plain bond paper for inkjet printed prescriptions

Category 3

A) Counterfeit Resistance: Listing of security features

*Microprint Line viewed at 5x magnification

THIS IS AN ORIGINAL PRESCRIPTION-THIS IS AN ORIGINAL PRESCRIPTION-THIS IS AN ORIGINAL PRESCRIPTION-THIS IS AN ORIGINAL PRESCRIPTION

Example A

Washington Medical Group	
555 Pennsylvania Ave, Washington DC 20001	
202-222-2222 (Fax) 202-222-1111	
Name	Jane Q Public
Date	06/29/2008
Addr	123 Main Street
DOB	07/04/1960
City	Washington, DC 20001
Ph:	202-555-5555
HYDROCHLOROTHIAZIDE 12.5 MG CAPS One (1) tab by mouth each morning	
Generic: HYDROCHLOROTHIAZIDE	
Disp	***30*** THIRTY (2)
Refill	***3*** THREE
Security features: (*) bond & spelled quantities, microprint signature line visible at 5x or > magnification that must show THIS IS AN ORIGINAL PRESCRIPTION & this description of features (3)	
(1)	John Smith, MD
	NPI# 1111111111

Category #1 – Copy Resistance: Microprint signature line*

Category #2 – Modification / Erasure Resistance: Border characteristics (dispense and refill # bordered by asterisks AND spelled out)

Category #2 – Modification / Erasure Resistance: Printed on “toner-lock” paper for laser printed prescriptions, and on plain bond paper for inkjet printed prescriptions


Category #3 – Counterfeit Resistance: Listing of security features

*Microprint Line viewed at 5x magnification

THIS IS AN ORIGINAL PRESCRIPTION-THIS IS AN ORIGINAL PRESCRIPTION-THIS IS AN ORIGINAL PRESCRIPTION-THIS IS AN ORIGINAL PRESCRIPTION

Appendix I (continued)

Example B

Washington Medical Group 555 Pennsylvania Ave, Washington DC 20001 202-222-2222 (Fax) 202-222-1111		(1) 
Name Jane Q. Public	Date 06/29/2008	
Addr 123 Main Street	DOB 07/04/1960	
City Washington, DC 20001	Ph: 202-555-5555	
HYDROCHLOROTHIAZIDE 12.5 MG CAPS One (1) tab by mouth each morning Generic: HYDROCHLOROTHIAZIDE		
Disp ***30*** THIRTY	(2)	
Refill ***3*** THREE		
Security features include: (*) bordered and spelled quantities, a void pantograph and reverse Rx (when copied -- the prescription will say "COPY" and the "Rx" in the upper right corner will NOT be visible), and this description of features.		
(3)		
John Smith, MD NPI# 1111111111		

Category #1 – Void/Illegal/Copy Pantograph with or without Reverse Rx

Category #2 – Modification / Erasure Resistance: Border characteristics (dispense and refill # bordered by asterisks AND spelled out)

Category #2 – Modification / Erasure Resistance: Printed on “toner-lock” paper for laser printed prescriptions, and on plain bond paper for inkjet printed prescriptions

Category #3 – Counterfeit Resistance: Listing of security features

Appendix II

Tamper-Resistant Prescription Pad Security Features Required by States Prior to April 1, 2008

State	Security Features
California	Prescription pads must be printed from approved vendors only. ¹ “Void” pantograph, security prescription watermark, chemical void protection, area of opaque writing, quantity check boxes with units, printed on security paper, security back printing, listing of security features, thermo chromatic ink, batch numbering, separate vendor ID, sequential numbering starting at 0001 at each new order. ¹
Florida	Prescription pads must be printed from approved vendors only. “Void” or “Illegal” pantograph (green or blue), erasure safe paper, background ink that resists reproduction, watermarked paper, security feature listing (face or back), batch number which includes vendor ID, physicians license verification required by vendor.
Idaho²	Non-copyable paper ONLY ¹
Indiana	“Void” pantograph (blue), Security Back print, quantity check boxes, refill quantity and “void after” wording, one prescription per form, dispense as written/may substitute wording. ¹
Kentucky	“Void” pantograph (green), Security Back print, quantity check boxes, refill quantity and “void after” wording, one prescription per form, dispense as written/may substitute wording. ¹
Maine	“Void” pantograph, repetitive watermark on backside, thermo chromatic ink, list of security features. ¹
New Jersey	Prescription pads must be printed from approved vendors only. State seal on face and back for pantograph, “Rx” graphic on face, blue face with black imprint, green back, batch number which includes vendor ID, 8 standard formats, pre-printed batch number, physicians license verification required by vendor, shipment log by vendor, prescription blanks for each prescriber or health care facility must be numbered consecutively.
New York	“Void” pantograph, thermo chromatic ink, diagonal lines, micro fine printing, serial number and bar code.
Texas	“Void” pantograph, thermo chromatic ink, erasure safety paper, security features listed, control number.
West Virginia	“Void” pantograph (green), Security Back print, quantity check boxes, refill quantity and “void after” wording, one prescription per form, dispense as written/may substitute wording. ¹
Wyoming	Prescription pads must be printed from approved vendors only. ¹ “Void” Pantograph, erasure protection on a colored background, security features listed, physician license verification by vendor. ¹

¹ For controlled substances only.

² Because it only requires features to prevent copying, Idaho’s current program complies only with the first stage of the implementation process.

Appendix III

Summary of features that could be used on a tamper-resistant pad/paper in compliance with the CMS guidelines

Category 1 – Copy Resistance: One or more industry recognized features designed to prevent unauthorized copying of a completed or blank prescription form.	
Feature	Description
“Void,” “Illegal,” or “Copy” pantograph <u>with or without</u> Reverse “Rx”	<p>The word “Void,” “Illegal,” or “Copy” appears when the prescription is photocopied. Except where state law mandates the word “Void” or “Illegal” – it is recommended that the pantograph show the word “Copy” if the prescription is copied. The pantograph should be configured so as not to obscure the security feature description contained on the prescription, the patient and prescriber demographics, or the medication and directions.</p> <p>Some pantographs can be problematic because when the prescription is copied, the resulting “void” or other wording that appears makes the underlying prescription difficult to read. This type of pantograph should be avoided. We suggest that you ask your pad vendor about hollow “VOID” pantograph lettering which is less likely to obscure the prescription information.</p> <p>The Reverse Rx disappears when copied at a light setting – thus making the pantograph more effective in copy resistance. The pantograph may be used with a reverse Rx, but Reverse Rx is not effective as a feature by itself.</p>
Micro printing – To be effective, this feature must be printed in 0.5 font or less making it illegible to the pharmacist when copied	Very small font which is legible (readable) when viewed at 5x magnification or greater, and illegible when copied.
Thermochromic ink	Ink changes color with temperature change.
Coin-reactive ink	Ink changes color when rubbed by a coin.
<u>Watermarking</u> Security back print (artificial watermark)	Printed on the back of prescription form. The most popular wording for the security back print is “Security Prescription” or the security back print can include the states name. Can only be seen when viewed at an angle.
Digital watermarks	Weak digital watermarks cannot be read if copied and strong digital watermarks provide digital rights management/“proof” of origin when copied.
Watermarking on special paper	Special paper contains a watermark that can be seen when backlit.

Appendix III (continued)

Category 2 – Erasure / Modification Resistance: One or more industry-recognized features designed to prevent the erasure or modification of information written / printed on the prescription by the prescriber.	
Features to Prevent Erasure	Description
An erasure revealing background (erasure resistance)	Background that consists of a solid color or consistent pattern that has been printed onto the paper. This will inhibit a forger from physically erasing written or printed information on a prescription form. If someone tries to erase, the consistent background color will look altered and show the color of the underlying paper.
Toner Receptor Coating / Toner Lock or Color Lock paper (erasure resistance for computer generated prescriptions <u>printed with a laser printer</u>) OR Chemically reactive paper (erasure resistance for hand written prescriptions)	Special printer paper that establishes a strong bond between laser-printed text and paper, making erasure obvious. Note – this is NOT necessary for inkjet printers – as the ink from inkjet printers is absorbed into normal “bond” paper. If exposed to chemical solvents, oxidants, acids, or alkalis that can be used to alter the prescription, the chemically reactive paper will react and leave a mark visible to the pharmacist.
Features to Prevent Modification	Description
Quantity check off boxes and refill indicator (circle or check number of refills or “NR”)	In addition to the written quantity on the prescription, quantities are indicated in ranges. It is recommended that ranges be 25’s with the highest being “151 and over”. The range box corresponding to the quantity prescribed MUST be checked for the prescription to be valid. The refill indicator indicates the number of refills on the prescription. Refill numbers must be used to be a valid prescription.
Pre-printed language on prescription paper Example: “Rx is void if more than XXX Rx’s on paper”	Reduces ability to add medications to the prescription. Line must be completed for this feature to be valid. Computer printer paper can accommodate this feature by printing, “This space intentionally left blank” in an empty space or quadrant.
Quantity and Refill Border and Fill (this is the recommended for computer generated prescriptions)	Quantities and refill # are surrounded by special characters such as an asterisks to prevent modification, e.g. QTY **50** Value may also be expressed as text, e.g. (FIFTY), (optional).

Please note that while ONLY one feature from this Category 2 is required, it is strongly recommended that one feature of erasure resistance and one feature of modification resistance be

used. Inkjet printed prescriptions are de-facto erasure resistant based on the characteristics of inkjet ink.

Appendix III (continued)

Category 3 – Counterfeit Resistance: One or more industry-recognized feature designed to prevent the use of counterfeit prescription forms.	
Feature	Description
Security features and descriptions listed on prescriptions – this feature is <u>strongly</u> recommended on all prescriptions	Complete list of the security features on the prescription paper for compliance purposes. This is strongly recommended to aid pharmacists in identification of features implemented on prescription.
Thermochromic ink	Ink changes color with temperature change.
State Approved Vendor ID	This feature is only effective in states with an approved vendor listing.
Serial number	Number issued by printer of prescription or uniquely assigned by EMR or ePrescribing software; may or may not be sequential. Only valid if reported and tied to the pharmacy claim adjudication process. NY is the only state that has this system currently in place.
Encoding techniques (bar codes)	Bar codes on prescription. Serial number or Batch number is encoded in a bar code.
Security Thread	Metal or plastic security threads embedded in paper as used in currency.